

FTD REFERENCER PITCH/PWR (G1000)

PROP FULL FORWARD

実施科目	V1/Vr	V2	Gear	Flaps	PITCH	PWR
TAKE OFF	85kt	100kt	Down	0	+10°	MAX

PROP 2500rpm

実施科目	ALT	A/S	Gear	Flap	PITCH	PWR
CLIMB		120kt	Up	Up	+8°	25.0 inch.hg
CRUISE	5000 Level	150kt	Up	Up	+0°	17.5 inch.hg
DESCENT	500ft/min	150kt	Up	Up	-2°	15.0 inch.hg
DESCENT	1000ft/min	150kt	Up	Up	-3°	12.0 inch.hg
HOLDING	Level	120kt	Up	Up	+2.5°	15.7 inch.hg
DESCENT	500ft/min	120kt	Up	Up	0°	12inch hg

PROP FULL FORWARD

実施科目	ALT	A/S	Gear	Flap	PITCH	PWR
APPROACH	Level	105kt	Down	App	1°	16.5 inch hg
ILS APCH	1000ft 以上	105kt	Down	App	-1.5°	13.7 inch.hg
ON G/S	1000ft以下	105kt	Down	LDG	-2.5°	14.5 inch.hg

Take off: Positive Climb・・・Gear Up

400ft・・・Set Climb PWR (2500 rpm 25 inch.hg)

ILS App : 3nm before G/S ...Flap App-Prop Full Forward

1 Dot before G/S・・・Gear Down

1000ft・・・Flap LDG

VOR App: Base turn inbound・・・Flap App/ Gear down/Prop full forward

RWY in sight and LDG Assure・・・Flap LDG

※無断転用禁止

G58 Reference Pitch/Power(5200lbs)

	条件	A/S	Gear	Flap	Pitch	PWR
T/O	See Level	Vr - 85kt	Down	Up	+10°	Full
Climb	2000ft	120	up	up	+ 9°	25inch
Cruse	3000ft	150	up	up	+1.5°	18.5inch
Holding		120	up	up	+ 3°	14.2inch
Decsent	500ft/m	120	up	up	+1.5°	11inch
	1000ft/m	120	up	up	- 1°	8.5inch
App	3°PATH	110	Down	App	- 1°	14.5inch
	3°PATH	100	Down	LDG	- 2°	15.8inch
	level	110	Down	App		18.5inch
Take Off :	Positive Climb	Gear Down			
	400ft	Set Climb PWR	2500rpm	25inch	
ILS APP :	2nm before G/S	Flap App Prop Full Forward			
	1 Dot before G/S	Gear Down			
	1000ft	Flap LDG			